



FOWX2.E481614 - FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT - COMPONENT

Fixed Capacitors for Use in Electronic Equipment - Component

See General Information for Fixed Capacitors for Use in Electronic Equipment - Component

DONGGUAN CIGU ELECTRONIC TECHNOLOGY CO LTD

E481614


3A, Bldg D, No. 29 Baohong Rd, Baotangxia,
Baotun Community, Houjie Town
Dongguan, Guangdong 523961 CHINA

Fixed capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (µF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
CD	X1/Y1	X1: 440Vac; Y1: 400/300/250Vac	10 to 4700 pF (K: +/-10%, M: +/-20%)	—	-25	+125 or 85
CE	X1/Y2	X1: 400Vac; Y2: 300/250/125Vac	100 to 10000 pF (K: +/-10%, M: +/-20%)	—	-25	+125 or 85

Fixed capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (µF) (Tolerance)	Resistance for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
MPX	X2	310/305/ 300/275/250 ac	0.0022 to 2.2 (K: +/-10%)	—	-40	+110

Marking: Company name or trademark  and type designation.

Last Updated on 2019-04-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certification Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



advertising and analytics partners..

[Learn More](#)